

Bring Back To Nature

PARCON TIMBERED SDNBHD

EXQUISITE SOLID TIMBER FLOORING

669944 - U

Company Profile



#28194

Full Fruit™
Hardwood Flooring
Redefining Hardwood Flooring

Woodpecker™
hardwood flooring
Designers' Choice



Parcon Timbered Sdn Bhd (669944-U)

Dear Reader,

We at Parcon Timbered are aware of our responsibility of proffer exquisite solid timber flooring as one of the historical long branded timber advisors/wholesaler in Malaysia. We have built a trusted branding company by focussing on the essential, and with our range of high-quality timber flooring and installation services at the best price, we appeal to many projects and customers in Malaysia.

As a morality and ethics timber wood flooring company, we are aware of its obligations to continue the preservation of the environment and is committed to purchasing its supplies from suppliers who have viable and sustainable programs in place for the regeneration of the tropical forest in order to proffer a comfortable living space for customers and at the same time to preservation and extending the lifecycle of the environment is one of our mission.

Our Business Principle is simplicity: we put our customers at the heart of our decisions to find the finest solid wood timber for our customers used for flooring installation. This principle is also our company guide request for each of the employees as the responsibilities.

Chin Yee Hin

Managing Director of Parcon
Timbered Sdn Bhd

Table of Content

Intro

Executive Summary	4
--------------------------	----------

Highlight	5
------------------	----------

Description of Business

Company Background	7
---------------------------	----------

Organization Chart and Company Info	8
--	----------

Production

Process of Production	9
------------------------------	----------

Visit of Log Factory	13
-----------------------------	-----------

Product Species	14
------------------------	-----------

Installation

Responsibility Along Installation	18
--	-----------

Timber Flooring Installation Steps	19
---	-----------

Types of Installation Services	20
---------------------------------------	-----------

Knowledge of Installation	21
----------------------------------	-----------

Solid Timber Floor Maintain Tips	24
---	-----------

Accessories and Tools	25
------------------------------	-----------

Previous Project	27
-------------------------	-----------

Project Gallery	31
------------------------	-----------

Award Certificate	38
--------------------------	-----------

Sales and Marketing Team Contact	40
---	-----------

Reference	42
------------------	-----------

Timber market in Malaysia

The growing of the Malaysia population is indirect to form the demands of a new lifestyle and the raise of bandwidth economy will prompt better living conditions and comforts, thereby the demand for timber-based products is increasing in social life. Especially for the business of hotels, resort, property development, corporate, etc as they like to improve the comfort zone for their customers and employees to better achieve their goal. Timber as a material for flooring brings benefits of balancing economic, environmental and social needs, by making the flooring products using fewer resources, energy, improving the ecological and economic performance of the manufacturing organizations as well which are par more competitively based when compared with others. Meanwhile, it would evolve a more efficient living system, positively impacting the return of investment (ROI) for customers (Krishnan & Barbara, 2017).

Why Choose Us to be your timber flooring advisors?

Parcon Timbered Sdn Bhd has nearly 30 years of combined experience and always adhere to supplying and installing the “FINEST” timber & lumber flooring. The Company's objective is to concentrate on the downstream activities of the Timber Industry particularly on the production & marketing of hardwood flooring. Most of the timber wood is sourced from locally and Asia areas. We are renowned for our proven reliability and expertise which are complemented seamlessly by its reasonable pricing as well as excellent personalized customer service.

Why Choose Our hardwood flooring over others materials ?

In the Malaysia market, can be sure that engineered wood and laminated flooring is budget than to choosing the hardwood flooring. But, the actual value of hardwood flooring is the emphasis reason why is the better choice for you to disregard your budget. The hardwood is practical of the real deal; it is gorgeous and, depending on the type of wood, can add considerable value to your home. The actual feeling from the hardwood flooring is totally different from others and indirectly affect the overall aesthetics and senses of comfortable and luxury feel.

“Extra Benefits” of Hardwood Flooring:

- ❖ The artistic value of the hardwood flooring adds value to your building.
- ❖ A natural wide range of grain patterns, colours, and styles for you to choice.
- ❖ Last longer lifetime than others engineered wood and laminated flooring.
- ❖ Easy to refinished for maintain the artistic value of the flooring.
- ❖ Timber is 100% of recyclable and more Eco-friendly for the earth than other materials.

(Urbanfloor, 2015)

#The feeling that the timber flooring bringing for you :

Nature, Forest, Comfortable

The Exquisite solid timber flooring - Parcon Timbered Sdn Bhd

Parcon Timbered - offering Skilled and Experienced Manpower for installation, this is the direct contributors to the timber flooring performance. Parcon Timbered having 4 teams of installers with more than 10-30 years experiences of installers to make sure the quality and as far as possible to embody the artistic from timber flooring.

Parcon Timbered - having a Sustainable Management of relationship with suppliers, as a distributor of timber flooring, we are having a long sustainable and good management with the supplier to ensure the delivered of quality and finest timber for customers.

Parcon Timbered - for the Customer, we keep the mission of delivering the exquisite solid timber flooring and expert installation services. Besides, a set of services from free site measure and consultant to after sales services are bringing the better experience for customers. Thus, we having long term collaboration with Midor Interior Designer and Furnishing, Eco Interior International etc.

Services: Installation, Sands, Polish and Refinish.

Products: Hardwood timber wood sources from local of Malaysia and Asia Area.

However, we still have provided the services of sources timbers from worldwide when customers requires. More information please contact to our sales and marketing team, Thank You.

Description of Business

Business

Company Background

PARCON TIMBERED SDN BHD was incorporated on October 20, 2001.

Originally started from a timber flooring sub-contractor business in the year 1984, founder by Chin Yee Hin and registered by the year 1993 called Yee Hin Enterprise. After decades 20 years of hard work and persistence, the business was from taking over some small project to handle the more biggest project, therefore the founder was decided to expanded their business and that Parcon Timbered Sdn Bhd established in the year 2004.

Parcon Timbered pride as an importer and distributor of High Quality and Finest hardwood flooring. The wood pieces they are selling are sourced from local and Asia places especially hardwood such as Kempas, Keranji, Balau, Merbau, Belian, Walnut, Teak, etc. The company proffer customized service to source the customer favour of timber from worldview due to their requests. The additional services provided by Parcon Timbered including installation, sands, polish and maintenance. The installation services that the company cover including Floor, Decking, Ceiling, Staircase, etc.

The project that the company takes such as any buildings, condominium, bungalows, exhibition hall, shopping mall, etc. Parcon Timbered having four teams of installers with more than 10-30 years experience. These specialist installers can ensure the company can handle more and large project at all times. The expert consuler and the team of the professional installer with nationally proven to help their customers through every stage of the project to satisfaction.

The Company was named the top winner in our category for the SME 100 top Award in 2009 & The Brand Excellence Award Asia Pacific in 2008. These awards are in recognition of the hard work & efforts by the Management & staff of the Company and have established ourselves as truly the market leader in the industry. In addition, the company is aware of its obligations to continue the preservation of the environment and is committed to purchasing its supplies from suppliers who have viable and sustainable programs in place for the regeneration of the tropical forest & the preservation of the Environment.

i. Objective

Concentrate on the downstream activities of the Timber Industry particularly on the production & marketing of hardwood flooring.

ii. Vision


Bring Back to Nature - Bring the finest and aesthetic timber flooring for each of the customers to turns the home into a comfortable and natural space.

iii. Mission

- We put our customer needs and wants in the heart of the decision, carrying on professional teams of Installers and the finest timber.*
- To proffer timber flooring in comfortable living space for customers and at the same time to preservation the environment.*

Organization Chart and Company Info

Organization Chart



Company Info


Company Name	: Parcon Timbered Sdn Bhd
Registration Number	: 669944-U
Bank Details	: Public Bank
Address	: No. 1100, Jalan Jinjang Murni Jinjang Utara, Kepong, 52000, Kuala Lumpur.
Contact number	: +603 6257 1900/ +603 6731 8406
General Email	: service@parcontimbered.com.my
Websites	: www.parcontimbered.com.my

Production

Production

The Process of Production

Timber has played the key role in the flooring construction.



In here, we'll tell you the whole journey of timber – how the timber ready for sales from the forest and arrives at our company and ready for you to embark on your project.

The Process of Production



The first stage of preparing the timber for sales is called ‘felling’.

Expertise workers will determine which trees can be cut down before felling, they are depending on when the trees are reaching their economically ‘mature’ stages. An approximate range of 40 to 150 years old trees will be cut down. Certainly, the differences in age at felling can depend on the tree species.

Besides, the trees logs will be stored in a clearing or in the forest until they are needed at the sawmill. This also allows some of the ‘free’ water content to evaporate. When at chosen, the logs will be sending for debarking and bucking before ready to cut into the required length which called “sawing”.



This is the cutting machine specialist use for wood and also classify timber size.


Follow by removing excess moisture contained in the natural timber. The wood will be sent to kiln dry for drying process until the moisture contains drop to 12%-15%.

When a tree is felled, it still contains a large proportion of water/moisture – usually between forty to fifty per cent water content. Therefore carry out this process can release the free water and a high proportion of its cell water for make its less likely to be warp or deform.

(Information from International Timber 2020)



The Process of Production



Next to drying process, the timber will be sent for “Moulding”. A four side moulder machine with 7-8 spindle will be used. The machines will be moulding the wood to the profile of "Tongue and Groove" and planing to different size.

(Photo Sourced from Foursidemoulder 2020)

From here, all the timbers are ready for packaging and delivered to the wholesaler.



Visit to log factory



In the year 2003, our director, Mr Chin has the honour to visit the timber log factory in Myanmar for seeing the whole process of timber wood production.



Product Species

PRODUCT SPECIES

BELIAN



Size (mm)

thickness	width	length (random)	profile
18	85/95	300-1800	T&G

WHITE OAK



Size (mm)

thickness	width	length (random)	profile
18	70-140	300-1800	T&G

RED OAK (UV VARNISHING)



Size (mm)

thickness	width	length (random)	profile
18	57/58	300 up	T&G

RED OAK



size (mm)

thickness	width	length (random)	profile
19	90-120	300 up	T&G

BURMESE TEAK



Size (mm)

thickness	width	length (random)	profile
9/10	50	250-300	S4S
11	70/90	300-1650	T&G
18	90	300-1650	T&G
18	120	300-1650	T&G

KEMPAS



Size (mm)

thickness	width	length (random)	profile
10	50	250-300	S4S
18	85-95	300-1800	T&G

KELEDANG



Size (mm)

thickness	width	length (random)	profile
18	90/95	300-1800	T&G

GERMAN BEECH



size (mm)

thickness	width	length (random)	profile
18	50	250-450	S4S

Contact with us to know more type of wood species!

Installation

RESPONSIBILITY ALONG WITH INSTALLATION

Timber Flooring needs the experience installer with skill to install to ensure the quality and solid of the timber for more long-lasting in the lifetime. Their skill and precision also mean that they know the exact amount of materials required and treat the timber carefully. All of our installers are professionally trained and all of them are further given on the job training to enhance their installation skills. Besides, we will based on each of the installer's unique installation techniques and expertise to assign projects. Last but not least, we are promise to provide quality subfloor with quality materials and workmanship and we live by our Corporate Mission to proffer the optimum services and products.

*Marketing and Project Team of
Parcon Timbered Sdn Bhd (2020)*

TIMBER FLOORING INSTALLATION STEPS

1

First Step, batten will use as the subfloor. The battens are laid between a distance apart, there will be less possible to have “hollow sound”.

2

Second Step, the timber strips would be installed over the batten base by using high solid content timber adhesive and nails to tongue the sub-base.

3

Besides, the floor will be left curing for some days. This curing processed carries out to ensure the timber flooring is fully adapted with the moisture of the room.

4

Following step, use to sanding at the timber flooring with grit sandpaper are using endless belt sanding machine, edge sanding machine and three discs machine (TRIO).

5

Next step is to apply the water-based polyurethane to timber floor coating. A total of 5 coat will be applied to the flooring for protecting and smooth up.

6

Lastly, a minimum of 7 days is needed for the drying period to achieve the full hardness and fully dry condition.

1. Flooring and Staircase

Parcon Timbered proffer a high-quality of solid timber for flooring exudes an air of natural, luxury and for appreciation, giving your home a touch of uniqueness and class that lasts a lifetime. Intarsia, Linnell

2. Ceiling and Wall

Parcon Timbered offerings extend to exquisite handcrafted wooden ceilings and wall cladding systems. A range of timber series from flooring to ceiling was overthrown the old-standing ideas of only flooring design forgiven more design choice for customers.

3. Outdoor Decking

Unique Outdoor decking can uplift the exterior of the property with a feel of close to nature. The hardwood that we choose for you can bestow your façade with an inviting and elegant deck that stands at long-lasting.

4. Customization

A team of expert advisors and professional installers with nationally proven are available for help to realize your extraordinary ideas of installing lumber and timber flooring. Free to tell us your ideas for us to develop the personalization services for you.

“OLD STYLE” IS STILL IN STYLE



There are many different types and sizes of wood flooring available today. Yet, most strip plank flooring types are installed in a similar fashion, making use of a so-called "tongue and groove" interconnected system. Although there are literally hundreds of alternatives to traditional strip plank flooring, such as "old-style flooring" remains

the most popular. Installing real wood strip plank flooring is takes a bit of understanding and certainly a lot of sweat-equity to form a professional skill and be finest. Still, such floors remain a value, since their popularity seems never to wane and their durability is better comparing to other imitations floorings. When other flooring options start looking worn out, they need to be removed and replaced. This not only creates a burden in our landfills, but it also requires a plenty of raw materials and energy to manufacture the new flooring. With real wood floors, however, restoring your floors to their original lustre is easy, economic and environmentally friendly.

Over time, the finish on wood floors can become dull, but it's not necessary to replace the floors, or even to sand them, to restore the shine. You can renew your wood floors to their original beauty and lustre time and time again. A wood flooring professional will be able to regrind your wood floors removing approximately 1mm off the top, then putting 3 undercoats and 2 top coatings of finishes. When the process is completed will give your existing floors new life, added protection, and renewed lustre. This process allows you to not only preserve your floors but to preserve trees as well.

Important of selecting the right timber


For the most part, choose to use timber to install as flooring is not a problem but one small misstep can mean a marring scar into your floor. No matter what type floor you choose, there are a few things to consider first, the foremost being the choice of wood. In areas of heavy traffic, hardwoods such as Belian, Kekatong, Merbau are recommended, as they are naturally denser than softwoods like pine or fir. Since hardwoods have a tighter denser grain they're better able to resist dents.

Board Size

Another consideration when choosing a wood floor is the size and shape of the boards. These decisions lend themselves primarily to the tastes and preferences of the buyer. Wide planks are the most expensive and more likely to cup, check or warp. Planks that have a groove along their edges, although perhaps attractive to some people, become caverns for dust and traffic dirt and are also difficult to clean.

The wood grade also is an issue. Grades knots found on the face side of the plank. Grade does not compromise the strength of the wood; it's purely an esthetic consideration. To some people, knots actually are desirable.

Traditional hardwood floors have a tongue-and-groove arrangement that interlocks two planks together. A special flooring nail, which is driven by a nailing device, drives a cut-off nail through the tongue and plank into the subfloor.



Before we start installing any wood flooring, all construction activity should be finished and the atmosphere stable and completely dry, with windows and doors in place. In the ideal situation, the house should be relatively dry and heated to a normal room temperature of about 26 degrees C. The floor materials should be removed from boxes and allowed to remain undisturbed for about a week in the same place where they will be installed. This should allow the wood to absorb the same relative humidity as its future environment; so all the pieces will react uniformly under the weight of foot traffic and furniture.

KNOWLEDGE OF INSTALLATION

Room For Expansion

We will leave a 5mm space against all the walls for expansion, as the floor will move with changes in humidity. Skirting will hide the space.

Check Moisture

There are meters available to check the moisture content of wood if need be. Moisture is the keyword; if possible, flooring should be delivered only in dry weather and never allowed to get wet.

Place Floor mats at door entrances

Dirt, coarseness and sand are your hardwood floor's most exceedingly bad foes. Put floor mats, mats at passages to catch the soil and avoid

Remove all spills promptly

Spills water can warp and damage a poorly finished hardwood. It only needs to simply wipe up immediately to avoid damage.

Avoid direct sunlight and UV rays

These can discolour the hardwood floor and indirectly change the colour. Using close curtains and blinds or add sheer drapes to protect your hardwood floor from the sunlight and UV rays.

Careful on moving the furniture


Avoid dragging furniture to cause scratches and scuffs. It can be using felt or fabric protectors under the furniture legs that come into contact with the floor to prevent scratches damage.

Sweep or vacuum regularly

Sweep or vacuum wood floors regularly and clean up with a mop with lightly dampened with water twice weekly. For dirt, use only pH-neutral cleaning detergents specially formulated for hardwood floors. Never use oil soap, wax, liquid or other normal household products to clean floor.

Accessories and Tools

ACCESSORIES AND TOOLS



Sources from Bosch 2020, Laegler 2020.

Previous Project

Previous Project

YEAR	TYPE	LOCATION	SPECIES	PROF	QTY
	Bangalow	The Glades Putra Height	Merbau	T&G	2,910 sf
	Bangalow	Ayer Panas, K.L	Burmese Walnut	T&G	3,820 sf
	Bangalow	Bukit Rimau, Shah Alam	Burmes Teak	T&G	2,300 sf
	Bangalow	Sek 7, Shah Alam	KerANJI	T&G	4,380 sf
	Bangalow	Sek. U13, Shah Alam	Merbau	T&G	2,840 sf
	Semi-D	26 Units @ Aqua Villa, Shah Alam	Kempas	T&G	16,800 sf
	Commercial	Overtime outlet@ Johore, Ipoh, Melaka, K.L., Seremban, Rawang, Seri Petaling, Balakong, Setapak, Jln Ipoh, Subang, Kepong, Sg. Besi, Solarish, Penang, Shamelin...	Merbau	T&G	24,475 sf
2013	Bangalow	Subang	Burmese Teak	T&G	3,018 sf
	Bangalow	Tijani, K.L.	Balau	E4E	1,600 sf
	Bangalow	Fortune Park, Kepong	Merbau	T&G	3,220 sf
	Bangalow	Temple Park, Rawang	Merbau	T&G	6,990 sf
	Hall	Tzu Chi Jing Shi Tang, Jln Kepong	Burmese Teak	T&G	10,184 sf
	Suite	Royal Regent, Putramas 3, K.L	Merbau Board	S4S	1,725 ft
	Semi-D	Bukit Damansara	Merbau	T&G	2,700 sf
	Villa	Lumina Kiara, Mont Kiara	Burmese Walnut	T&G	940 sf
	2 storey	Taman Yarl	KerANJI	T&G	988 sf
	2 storey	Bandar Sri Damansara	Merbau	T&G	1,100 sf
	2 storey	Taman Yarl	KerANJI	T&G	1,470 sf
2014	Bangalow	Temple Park, Rawang	Merbau	T&G	6,990 sf
	Bangalow	Bukit Damansara	Merbau	T&G	1,263 sf
	Bangalow	Persiaran Popeng, Ipoh	Red Oak	T&G	1,849 sf
	Condo	Royal Regent @ Putramas 3	Merbau Board	S4S	15 units
	Hall	Tzu Chi Jing Shi Tang, Jln Kepong	Burmese Teak	T&G	10,184 sf
	Palace	Istana Telipot Negeri Kelantan	Burmese Teak	T&G	4,485 sf
	Penthouse	Jalan Ceylon	Balau, Merbau	T&G	4 units
	Semi-D	Laman Rimbunan, Kepong	Red Oak	T&G	1,200 sf
	2 storey	P.J	Burmese Walnut	T&G	2,142 sf
	2 storey	UEP Subang Jaya	Merbau	T&G	2,167 sf
	2 storey	Kelana Jaya, P.J.	Balau	T&G	1456 sf
2015	Bangalow	Subang	Burmese Teak	T&G	3,018 sf
	Bangalow	Setia Alam, Shah Alam	Merbau	T&G	3,800 sf
	2 storey	Desa Sri Hartamas	Merbau	S4S	1,830 sf
	2 storey	Desa Sri Hartamas	Merbau	S4S	1,830 sf
	2 storey	Klang	White Oak	T&G	803 sf
	Bangalow	Taman Golf, Ipoh	Red Oak	T&G	1,760 sf

Previous Project

YEAR	TYPE	LOCATION	SPECIES	PROF	QTY
	Bangalow	Temple Villa, Rawang	Merbau	T&G	2,480 sf
	Bangalow	Setia Eco Park, Shah Alam	Merbau	T&G	3,900 sf
	Bangalow	Saujana Impian, Kajang	Merbau	T&G	3,044 sf
	Bangalow	Cyberjaya	Merbau	T&G	3,280 sf
	Bangalow	Puchong	Balau	T&G	1,685 sf
	Commercial	Live House, K.L.	Merbau	T&G	2,922 sf
	Commercial	Aswara, Jalan Tun Razak	Regrind	---	5,195 sf
	Commercial	Kajang East, Semenyih	Balau	E4E	550 sf
	Commercial	Zouk Club, K.L	Kekatang, etc..	T&G	9,165++ sf
	Commercial	Zouk Club, K.L	Merbau	T&G	3,350 sf
	Hotel	Maxim Hotel, Genting	Regrind	---	141 units
	Hall	BSN K.L	Merbau	T&G	5,521 sf
	Hall	KDU College	Regrind	---	2,220 sf
	Office	Subang Hi-Tech , Shah Alam	Burmese Teak	T&G	1,200 sf
	Office	BSN K.L	White Oak	T&G	1,406 sf
	Palace	Istana Telipot Negeri Kelantan	Burmese Teak	T&G	4,485 sf
	2 storey	Taman Megah, Kepong	Merbau	T&G	1,200 sf
2016	Bangalow	Taman Tan Leng Ann, Johore	Merbau	T&G	1,495 sf
	Bangalow	Setia Alam, Shah Alam	Merbau	T&G	3,800 sf
	Bangalow	Damansara Heights	Merbau	T&G	2,421 sf
	Commercial	Live House, K.L.	Merbau	T&G	2,922 sf
	Commercial	Royal Flush, K.L.	Regrind		1,040 sf
	Commercial	Aswara, Jalan Tun Razak	Regrind		5,195 sf
	Hall	KPM, Lumut	Merbau	T&G	3,936 sf
	Hall	RTM, Johor	Kempas	T&G	2,231 sf
	Hall	1M4U, Puchong	Regrind		9,626 sf
	Penthouse	Troika, K.L	Chengal	E4E	2,705 sf
	Semi-D	Bukit Lanchong, Putra Height	Merbau	T&G	1,507 sf
	Semi-D	UEP Subang	Burmese Walnut	T&G	2,874 sf
	Semi-D	Taman Tan Leng Aunn, Segamat	Merbau	T&G	2,000 sf
	Semi-D	26 Units @ Aqua Villa, Shah Alam	Kempas	T&G	16,800 sf
	2 storey	UEP Subang Jaya	Merbau	T&G	2,167 sf
2017	Bangalow	Setia Alam	Merbau	T&G	3,500 sf
	Bangalow	Sepang	Merbau	T&G	1,000 sf
	Bangalow	Subang	Merbau	T&G	1,000 sf
	Bangalow	Jalan Damai, Ampang	Merbau	T&G	1,312 sf
	Bangalow	Damansara Height	American Walnut	T&G	1,102 sf
	Bangalow	Ampang	Merbau	T&G	1,312 sf
	Hall	Jenjarom, Kayu Ara	Balau	T&G	6,373 sf
	Hall	Cheras	Merbau	T&G	5,741 sf
	Hall	RTM, Johor	Kempas	T&G	2,231 sf
	Office	Pejabat Setiausaha Kerajaan Johor	Burmese Teak	T&G	793 sf
	Semi-D	UEP Subang	Burmese Walnut	T&G	2,874 sf
	Semi-D	Bukit Lanchong, Putra Height (22 Semi-D + 3 Bangalow)	Merbau	T&G	44,136 sf

Previous Project

YEAR	TYPE	LOCATION	SPECIES	PROF	QTY
2018	Commercial	Zouk Club, K.L	Merbau	T&G	3,350 sf
	Commercial	Zouk Club, K.L	Kekatang, etc..	T&G	9,165 sf
	Bangalow	Cyberjaya	Merbau	T&G	3,280 sf
	Hotel	Geo Hotel	Regrind	---	190 units
2019	Hall	1M4U, Puchong	Regrind	---	9,626 sf
	Hall	SMK Proton City, Tanjung Malim	Kempas	T&G	5,564 sf
	Penthouse	Menara Suez Cap	Composite Deck		2,066 sf
	Hotel	Ascott Hotel	Merbau	T&G	224 units
	Hall	Tzu Chi International School, Bukit Jalil	Merbau	T&G	9,600 sf
	Hall	PPR Ampang	Merbau	T&G	7,300 sf
	Bangalow	PJ	Merbau	T&G	1,800 sf
	Bangalow	Subang	Merbau	T&G	3,500 sf
	Bangalow	Kota Kemuning	Merbau	T&G	1,300 sf
	Condo	Kampung Muhibah, Puchong	Burmese Teak	T&G	1,300 sf
	Condo	Residensi Polatinum Teratai, Setapak	Merbau	T&G	700 sf
	Terrace	Jinjang Utara	Merbau	T&G	1,100 sf
	Semi-D	Bukit D'sara	Merbau	T&G	2,000 sf
2020	Semi-D	Bukit kinrara, Puchong	Belian	T&G	1,300 sf
	Bangalow	Emerald Rawang	Kempas	T&G	4,405 sf
	Bangalow	Armada Villa	Brazilliant Teak	T&G	1,847 sf
	Bangalow	Raub, Pahang	KerANJI	T&G	2,728 sf
	Bangalow	Kajang	Regrind	T&G	1,082 sf
2021	Bangalow	Zakri Golf Club, Terengganu	Merbau	T&G	1,611 sf
	Condo	Tifani Condo, Mont Kiara	Merbau	T&G	800 sf
	Bangalow	Bukit Jelutong	Regrind		806 sf
	Bangalow	Bukit Gasing	Merbau	T&G	546 sf
	Bangalow	Bandar Botanik, Klang	Merbau	T&G	4,432 sf
	Semi-D	Tropicana, PJ	Merbau	T&G	1,000 sf
	Bangalow	Jalan Tun Perak, KL	Kempas	T&G	900 sf
	Bangalow	Tropicana Utama, PJ - New Install	Burmese Teak	T&G	732 sf
		- Regrind			3,876 sf
	Condo	Vortex, KLCC	Repair		sf
	Condo	Elevia Residence, Puchong - Deck & Wall	Chengal	E4E	550 sf
	Condo	Sky Meridien	Balau		1,178 sf
	Condo	Park Seven Condo, KLCC	Regrind	T&G	996 sf
	Bangalow	The Mines Resort City	Chengal	E4E	sf
	Semi-D	Mutiara D'sara, PJ	Burmese Teak	T&G	1,691 sf
	Commercial	Alibi Cafe Speakeasy Bar, Tmn Tunku	Install		1,030 sf


Project Gallery

Project Gallery

Project Gallery—FLOORING



Project Gallery—FLOORING




Project Gallery—Intarsia and Design




Project Gallery—Staircase



Project Gallery—Decking






Award Certificate

WANG CHANG

Award Certificate



Parcon Timbered Sdn Bhd was an award from the Asia Pacific TOP Excellence Brand International Award in the year 2008.

Asia Pacific Top is a third-party international certification authority granted to enterprises, brands, products and leaders. It is also an international strategic platform for corporate congregation between Asia Pacific's excellent enterprises (*Topbrand, 2020*).

Parcon Timbered Sdn Bhd was award from the SME 100 top Award in 2009 and has named as one of Malaysia's Fast Moving Companies.


SME Award is a premier regional award for small and medium-sized enterprises. The Awards identify and recognise the enterprises based on quantitative and qualitative criteria with a focus on growth (turnover, profit and market share) and resilience (*SME 100, 2020*).



Sales and Marketing Team Contact

16911 COURIER

Sales and Marketing Team Contact



CONTACT US

Warehouse Showroom

No 1100, Jalan Jinjang Murni, Jinjang Utara,
Kepong, 52000, Kuala Lumpur.

Tel: +603 6257 1900 / +603 6731 8406

Email: sales@parcontimbered.com.my / service@parcontimbered.com.my

Websites: www.parcontimbered.com.my

FACTORY INFORMATION

Address

Lot 84, Jalan Sellathevan, Batu 4,
Kampong Jawa, 40460, Shah Alam, Selangor.

Free Site measure and consultant !!

*Any enquiries or quote, we're welcome
all to contact our services or visit our
showroom, warehouse.*

Thank You

REFERENCE

Foursidemoulder, 2020, officially website of Foursidemoulder, viewed 4 June 2020, <<http://www.foursidemoulder.com/sale-11012329-380v-customize-timber-moulding-machine-heavier-type-four-side-planer-machine.html>>.

International Timber, 2020, How Timber Gets From the Forest to Your Builders Merchant, viewed 4 June 2020, <<https://www.internationaltimber.com/how-timber-gets-from-the-forest-to-your-builders-merchant/>>.

Bosch, 2020, officially website of Bosch, viewed 5 June 2020, <<https://www.bosch-pt.com.my/my/en/>>.

Laegler, 2020, officially website of Bosch, viewed 5 June 2020, <<https://www.laegler.com/en/home.html>>.

Krishnan, U. & Barbara, S (2017). “Study of timber market of Malaysia and its impact on the economy and employment”, *Journal of Advances in Agriculture*, vol. 7, no. 3, pp. 1109-1106.

SME100, 2020, Winners of Malaysia 2009, viewed 15 June 2020, <<https://sme100.asia/winner-2009.php>>.

Topbrand, 2020, Introduction, viewed 15 June 2020, <<http://www.topbrand.asia/topbrand/en/records/objective.html>>.

Bring Back To Nature

+ 603 6257 1900

PARCON TIMBERED SDN BHD
(669944-U)